

SUBJECT INDEX TO VOLUME 132

METHODS

Theoretical

Group theory and algebras

Group theoretical statistical mechanics applied to couette flow, M.W. Evans 132 (1989) 1

Symmetry-adapted bases over Liouville space. IV. Projection superoperators and invariance hierarchies for \mathcal{L}_4 and $\mathcal{L}_4[\times]\mathcal{L}_4$ groups: a characterization of $[A]_4$ and $[AX]_4$ spin systems, F.P. Temme 132 (1989) 9

Many body and quasiparticle approaches

Coherent surface fluorescence versus thermally activated energy transfer to the bulk in the anthracene crystal: model calculations and some experimental results, L. David, J. Bernard, M. Orrit and Ph. Kottis 132 (1989) 31

Coupling schemes and perturbative treatments

Symmetry-adapted bases over Liouville space. IV. Projection superoperators and invariance hierarchies for \mathcal{L}_4 and $\mathcal{L}_4[\times]\mathcal{L}_4$ groups: a characterization of $[A]_4$ and $[AX]_4$ spin systems, F.P. Temme 132 (1989) 9

Activation energy of the dc conductivity in quasi-one-dimensional molecular semiconductors. II. Two radical electrons per dimer, V.M. Yartsev and A. Graja 132 (1989) 423

Relativistic quantum mechanics

Contribution of the relativistic mass correction to the g tensor of molecules, R. Angstl 132 (1989) 435

Transport quantum mechanics

Effect of orientational relaxation on optical polarization of electron spins in the gas phase, S.A. Sukhenko and A.A. Zharikov 132 (1989) 427

Equilibrium statistical mechanics

Group theoretical statistical mechanics applied to couette flow, M.W. Evans 132 (1989) 1

Statistical mechanics of stationary states

Group theoretical statistical mechanics applied to couette flow, M.W. Evans 132 (1989) 1

Study of nonequilibrium vibrational relaxation of CO_2 molecules during adiabatic expansion in a supersonic nozzle. The Treanor type distribution - existence and generation, A. Cenian 132 (1989) 41

Non-equilibrium thermodynamic and hydrodynamic theories

- Study of nonequilibrium vibrational relaxation of CO₂ molecules during adiabatic expansion in a supersonic nozzle. The Treanor type distribution – existence and generation, A. Cenian 132 (1989) 41

Ab initio schemes for stationary properties

- Theoretical spectroscopic constants for the low-lying states of the oxides and sulfides of Mo and Tc, S.R. Langhoff, C.W. Bauschlicher Jr., L.G.M. Pettersson and P.E.M. Siegbahn 132 (1989) 49

Computational and simulation methods

- Electronic bath theory: multi-orbital primary zone, H.K. McDowell 132 (1989) 59
 The fluid mechanics of photothermal systems, S.J. Jacobs 132 (1989) 71
 Fractal analysis of Brownian dynamics simulations of diffusion-controlled reactions, M.A. López-Quintela, M.C. Buján-Núñez and J.C. Pérez-Moure 132 (1989) 83
 The intramolecular fluorescence quenching in cylindrical micelles. II, M. Van der Auweraer, S. Reekmans, N. Boens and F.C. De Schryver 132 (1989) 91
 Low energy dynamics, isotopic effects and detailed microscopic reaction mechanism of the ion–molecule reaction $N^+(^3P) + H_2 \rightarrow NH^+ + H$, M. González, A. Aguilar and R. Sayós 132 (1989) 137
 The effect of reagent vibrational excitation on the oscillatory behavior and other dynamical properties of the light-atom-transfer reactions $Cl + HCl \rightarrow ClH + Cl$ and $O + HCl \rightarrow OH + Cl$, H. Kornweitz and A. Persky 132 (1989) 153

Molecular dynamics and scattering theory

- Analytical and numerical solutions of the time-dependent Debye–Smoluchowski equation for transport-influenced reactions: ion–ion recombination, M.R. Flannery and E.J. Mansky 132 (1989) 115
 Low energy dynamics, isotopic effects and detailed microscopic reaction mechanism of the ion–molecule reaction $N^+(^3P) + H_2 \rightarrow NH^+ + H$, M. González, A. Aguilar and R. Sayós 132 (1989) 137
 The effect of reagent vibrational excitation on the oscillatory behavior and other dynamical properties of the light-atom-transfer reactions $Cl + HCl \rightarrow ClH + Cl$ and $O + HCl \rightarrow OH + Cl$, H. Kornweitz and A. Persky 132 (1989) 153
 The mechanical origin of the propensity rule for vibrational predissociation of van der Waals molecules, D.A. Morales 132 (1989) 165
 Couplings between normal modes studied by the correlation function. Duschinsky effect and Fermi resonance, V.B. Pavlov-Verevkin, B. Leyh and J.C. Lorquet 132 (1989) 175
 Large r approximation for spherically averaged momentum distributions, M.E. Casida and D.P. Chong 132 (1989) 391
 On the reliability of a reasonable single surface treatment of the reaction $C^+(^3P) + H_2(X^1\Sigma_g^+) \rightarrow CH^+ + H$ at relative energies from the threshold region up to 2.0 eV, M. González and A. Aguilar 132 (1989) 443

Experimental*Magnetic resonances*

- Symmetry-adapted bases over Liouville space. IV. Projection superoperators and invariance hierarchies for \mathcal{L}_4 and $\mathcal{L}_4[\times]\mathcal{L}_4$ groups: a characterization of $[A]_4$ and $[AX]_4$ spin systems, F.P. Temme 132 (1989) 9

- A quasi-neutral triplet state of TCNQ in phenazine/TCNQ and fluorene/TCNQ CT crystals, D. Gundel, J. Frick, J. Krzystek, H. Sixl, J.U. von Schütz and H.C. Wolf 132 (1989) 363
- Effect of orientational relaxation on optical polarization of electron spins in the gas phase, S.A. Sukhenko and A.A. Zharikov 132 (1989) 427
- Infrared spectroscopy*
- The structure of $\text{CO}_2\text{-C}_2\text{H}_2$ from near infrared spectroscopy, Z.S. Huang and R.E. Miller 132 (1989) 185
- IR-IR double resonance experiments on SF_6 and SiF_4 clusters, B. Heijmen, A. Bizzarri, S. Stolte and J. Reuss 132 (1989) 331
- Vibrational predissociation of size-selected SF_6 clusters, F. Huisken and M. Stemmler 132 (1989) 351
- Dynamics of the reaction of atomic fluorine with azomethane: an IR-chemiluminescence study, U. Schwanke, H. Heydtmann and J.J. Sloan 132 (1989) 413
- Visible and UV spectroscopy*
- Coherent surface fluorescence versus thermally activated energy transfer to the bulk in the anthracene crystal: model calculations and some experimental results, L. David, J. Bernard, M. Orrit and Ph. Kottis 132 (1989) 31
- Rotationally resolved laser-induced fluorescence excitation studies of CH_3O , J. Kappert and F. Temps 132 (1989) 197
- A quasi-neutral triplet state of TCNQ in phenazine/TCNQ and fluorene/TCNQ CT crystals, D. Gundel, J. Frick, J. Krzystek, H. Sixl, J.U. von Schütz and H.C. Wolf 132 (1989) 363
- Dissociative excitation of HgX radicals and Hg atoms during collisions of CO^+ ions and $\text{HgX}_2/\text{CH}_3\text{HgX}$ ($\text{X} = \text{Cl}, \text{Br}, \text{I}$) molecules, V. Kushawaha and A. Michael 132 (1989) 373
- ω_e scaling law near a molecular dissociation limit: theory and experimental tests in Cl_2 B state, G. Gouédard, B. Girard, N. Billy and J. Vigué 132 (1989) 385
- Fluorescence spectroscopy*
- The intramolecular fluorescence quenching in cylindrical micelles. II, M. Van der Auweraer, S. Reekmans, N. Boens and F.C. De Schryver 132 (1989) 91
- Rotationally resolved laser-induced fluorescence excitation studies of CH_3O , J. Kappert and F. Temps 132 (1989) 197
- Ortho-para iodine separation revisited, J.L. Booth, F.W. Dalby, S. Parmar and J. Vanderlinde 132 (1989) 209
- Prompt fluorescence from biphenylene in liquid solution: absence of detectable $\text{S}_2 \rightarrow \text{S}_0$ fluorescence and its implications, vibrational structure and polarization of $\text{S}_1 \rightarrow \text{S}_0$ fluorescence, and orientational relaxation of molecules in S_1 , B. Nickel and J. Hertzberg 132 (1989) 219
- Delayed $\text{S}_1 \rightarrow \text{S}_0$ and $\text{S}_2 \rightarrow \text{S}_0$ fluorescence, delayed excimer fluorescence, and phosphorescence from biphenylene, J. Hertzberg and B. Nickel 132 (1989) 235
- Fluorescence depolarization in macroscopically ordered uniaxial molecular samples. II. The ground- and excited-state interactions of fluorophores with ordered environment. A discussion of the published experimental data, J.J. Fisz 132 (1989) 303
- Fluorescence depolarization in macroscopically ordered uniaxial molecular samples. III. Multifractional distribution of fluorophores in lyotropic liquid crystals. Two kinds of ground-state order parameters, J.J. Fisz 132 (1989) 315
- Photoelectron and Auger spectroscopy*
- Couplings between normal modes studied by the correlation function. Duschinsky effect and Fermi resonance, V.B. Pavlov-Verevkin, B. Leyh and J.C. Lorquet 132 (1989) 175

- Tunneling and shape resonance phenomena in the UV photoelectron spectra of HF and DF, H.J. Bakker, O. Grabandt and C.A. de Lange 132 (1989) 243
- Variable energy photoelectron study of the valence levels of CF_3X ($\text{X}=\text{F}, \text{Cl}, \text{Br}, \text{I}$) compounds between 21 and 200 eV photon energies, J.D. Bozek, G.M. Bancroft, J.N. Cutler, K.H. Tan, B.W. Yates and J.S. Tse 132 (1989) 257
- X-ray spectroscopy*
- The quantitative Jahn-Teller distortion of the Cu^{2+} site in aqueous solution by XANES spectroscopy, J. Garcia, M. Benfatto, C.R. Natoli, A. Bianconi, A. Fontaine and H. Tolentino 132 (1989) 295
- Electron impact spectroscopy*
- Excitation and ionization of the monohaloethylenes ($\text{C}_2\text{H}_3\text{X}$, $\text{X}=\text{F}, \text{Cl}, \text{Br}, \text{I}$). I. Inner-shell excitation by electron energy loss spectroscopy, K.H. Sze, C.E. Brion and A. Katrib 132 (1989) 271
- Large r approximation for spherically averaged momentum distributions, M.E. Casida and D.P. Chong 132 (1989) 391
- Laser methods*
- ω_e scaling law near a molecular dissociation limit: theory and experimental tests in Cl_2 B state, G. Gouédard, B. Girard, N. Billy and J. Vigué 132 (1989) 385
- Kinetics of methylidyne ($\text{CH X}^2\Pi$) radical reactions with ammonia and methylamines, S. Zabarnick, J.W. Fleming and M.C. Lin 132 (1989) 407
- Multiple resonance spectroscopy*
- Symmetry-adapted bases over Liouville space. IV. Projection superoperators and invariance hierarchies for \mathcal{H} and $\mathcal{H}[\times]\mathcal{H}$ groups: a characterization of $[\text{A}]_4$ and $[\text{AX}]_4$ spin systems, F.P. Temme 132 (1989) 9
- Atomic and molecular beam techniques*
- The structure of $\text{CO}_2\text{-C}_2\text{H}_2$ from near infrared spectroscopy, Z.S. Huang and R.E. Miller 132 (1989) 185
- IR-IR double resonance experiments on SF_6 and SiF_4 clusters, B. Heijmen, A. Bizzarri, S. Stolte and J. Reuss 132 (1989) 331
- Vibrational predissociation of size-selected SF_6 clusters, F. Huisken and M. Stemmler 132 (1989) 351
- ω_e scaling law near a molecular dissociation limit: theory and experimental tests in Cl_2 B state, G. Gouédard, B. Girard, N. Billy and J. Vigué 132 (1989) 385
- Dynamics of the reaction of atomic fluorine with azomethane: an IR-chemiluminescence study, U. Schwanke, H. Heydtmann and J.J. Sloan 132 (1989) 413
- Time-resolved experiments*
- The intramolecular fluorescence quenching in cylindrical micelles. II, M. Van der Auweraer, S. Reekmans, N. Boens and F.C. De Schryver 132 (1989) 91
- Couplings between normal modes studied by the correlation function. Duschinsky effect and Fermi resonance, V.B. Pavlov-Verevkin, B. Leyh and J.C. Lorquet 132 (1989) 175
- Measurement of macroscopic variables*
- Activation energy of the dc conductivity in quasi-one-dimensional molecular semiconductors. II. Two radical electrons per dimer, V.M. Yartsev and A. Graja 132 (1989) 423

OBJECTS

Bulk systems

Gases

- The fluid mechanics of photothermal systems, S.J. Jacobs 132 (1989) 71
- Analytical and numerical solutions of the time-dependent Debye-Smoluchowski equation for transport-influenced reactions: ion-ion recombination, M.R. Flannery and E.J. Mansky 132 (1989) 115
- Tunneling and shape resonance phenomena in the UV photoelectron spectra of HF and DF, H.J. Bakker, O. Grabandt and C.A. de Lange 132 (1989) 243
- Effect of orientational relaxation on optical polarization of electron spins in the gas phase, S.A. Sukhenko and A.A. Zharikov 132 (1989) 427

Supersonic beams

- Study of nonequilibrium vibrational relaxation of CO₂ molecules during adiabatic expansion in a supersonic nozzle. The Treanor type distribution - existence and generation, A. Cenian 132 (1989) 41
- The structure of CO₂-C₂H₂ from near infrared spectroscopy, Z.S. Huang and R.E. Miller 132 (1989) 185

Liquids neat

- Group theoretical statistical mechanics applied to couette flow, M.W. Evans 132 (1989) 1

Liquid mixtures and solutions

- Prompt fluorescence from biphenylene in liquid solution: absence of detectable S₂→S₀ fluorescence and its implications, vibrational structure and polarization of S₁→S₀ fluorescence, and orientational relaxation of molecules in S₁, B. Nickel and J. Hertzberg 132 (1989) 219
- Delayed S₁→S₀ and S₂→S₀ fluorescence, delayed excimer fluorescence, and phosphorescence from biphenylene, J. Hertzberg and B. Nickel 132 (1989) 235
- The quantitative Jahn-Teller distortion of the Cu²⁺ site in aqueous solution by XANES spectroscopy, J. Garcia, M. Benfatto, C.R. Natoli, A. Bianconi, A. Fontaine and H. Tolentino 132 (1989) 295

Crystals

- A quasi-neutral triplet state of TCNQ in phenazine/TCNQ and fluorene/TCNQ CT crystals, D. Gundel, J. Frick, J. Krzystek, H. Sixl, J.U. von Schütz and H.C. Wolf 132 (1989) 363

-neat

- Coherent surface fluorescence versus thermally activated energy transfer to the bulk in the anthracene crystal: model calculations and some experimental results, L. David, J. Bernard, M. Orrit and Ph. Kottis 132 (1989) 31

Liquid crystals

- Fluorescence depolarization in macroscopically ordered uniaxial molecular samples. II. The ground- and excited-state interactions of fluorophores with ordered environment. A discussion of the published experimental data, J.J. Fisz 132 (1989) 303

- Fluorescence depolarization in macroscopically ordered uniaxial molecular samples. III. Multifractional distribution of fluorophores in lyotropic liquid crystals. Two kinds of ground-state order parameters, J.J. Fisz 132 (1989) 315
- Surfaces*
- Coherent surface fluorescence versus thermally activated energy transfer to the bulk in the anthracene crystal: model calculations and some experimental results, L. David, J. Bernard, M. Orrit and Ph. Kottis 132 (1989) 31
- Electronic bath theory: multi-orbital primary zone, H.K. McDowell 132 (1989) 59
- Low-dimensional materials*
- Activation energy of the dc conductivity in quasi-one-dimensional molecular semiconductors. II. Two radical electrons per dimer, V.M. Yartsev and A. Graja 132 (1989) 423
- Microscopic systems*
- Atoms*
- Low energy dynamics, isotopic effects and detailed microscopic reaction mechanism of the ion-molecule reaction $N^+(^3P) + H_2 \rightarrow NH^+ + H$, M. González, A. Aguilar and R. Sayós 132 (1989) 137
- Dissociative excitation of HgX radicals and Hg atoms during collisions of CO^+ ions and HgX_2/CH_3HgX ($X=Cl, Br, I$) molecules, V. Kushawaha and A. Michael 132 (1989) 373
- On the reliability of a reasonable single surface treatment of the reaction $C^+(^2P) + H_2(X^1\Sigma_g^+) \rightarrow CH^+ + H$ at relative energies from the threshold region up to 2.0 eV, M. González and A. Aguilar 132 (1989) 443
- Molecules (neutral and ionic)*
- Analytical and numerical solutions of the time-dependent Debye-Smoluchowski equation for transport-influenced reactions: ion-ion recombination, M.R. Flannery and E.J. Mansky 132 (1989) 115
- Dissociative excitation of HgX radicals and Hg atoms during collisions of CO^+ ions and HgX_2/CH_3HgX ($X=Cl, Br, I$) molecules, V. Kushawaha and A. Michael 132 (1989) 373
- Effect of orientational relaxation on optical polarization of electron spins in the gas phase, S.A. Sukhenko and A.A. Zharikov 132 (1989) 427
- diatomic*
- Theoretical spectroscopic constants for the low-lying states of the oxides and sulfides of Mo and Tc, S.R. Langhoff, C.W. Bauschlicher Jr., L.G.M. Pettersson and P.E.M. Siegbahn 132 (1989) 49
- Low energy dynamics, isotopic effects and detailed microscopic reaction mechanism of the ion-molecule reaction $N^+(^3P) + H_2 \rightarrow NH^+ + H$, M. González, A. Aguilar and R. Sayós 132 (1989) 137
- Ortho-para iodine separation revisited, J.L. Booth, F.W. Dalby, S. Parmar and J. Vanderlinde 132 (1989) 209
- Tunneling and shape resonance phenomena in the UV photoelectron spectra of HF and DF, H.J. Bakker, O. Grabandt and C.A. de Lange 132 (1989) 243
- ω_e scaling law near a molecular dissociation limit: theory and experimental tests in Cl_2 B state, G. Gouédard, B. Girard, N. Billy and J. Vigué 132 (1989) 385

- On the reliability of a reasonable single surface treatment of the reaction $C^+(^2P) + H_2(X^1\Sigma_g^+) \rightarrow CH^+ + H$ at relative energies from the threshold region up to 2.0 eV, M. González and A. Aguilar 132 (1989) 443
- small polyatomics*
- Variable energy photoelectron study of the valence levels of CF_3X ($X=F, Cl, Br, I$) compounds between 21 and 200 eV photon energies, J.D. Bozek, G.M. Bancroft, J.N. Cutler, K.H. Tan, B.W. Yates and J.S. Tse 132 (1989) 257
- Excitation and ionization of the monohaloethylenes (C_2H_3X , $X=F, Cl, Br, I$). I. Inner-shell excitation by electron energy loss spectroscopy, K.H. Sze, C.E. Brion and A. Katrib 132 (1989) 271
- Large r approximation for spherically averaged momentum distributions, M.E. Casida and D.P. Chong 132 (1989) 391
- aromatics*
- Prompt fluorescence from biphenylene in liquid solution: absence of detectable $S_2 \rightarrow S_0$ fluorescence and its implications, vibrational structure and polarization of $S_1 \rightarrow S_0$ fluorescence, and orientational relaxation of molecules in S_1 , B. Nickel and J. Hertzberg 132 (1989) 219
- Delayed $S_1 \rightarrow S_0$ and $S_2 \rightarrow S_0$ fluorescence, delayed excimer fluorescence, and phosphorescence from biphenylene, J. Hertzberg and B. Nickel 132 (1989) 235
- Fluorescence depolarization in macroscopically ordered uniaxial molecular samples. II. The ground- and excited-state interactions of fluorophores with ordered environment. A discussion of the published experimental data, J.J. Fisz 132 (1989) 303
- Fluorescence depolarization in macroscopically ordered uniaxial molecular samples. III. Multifractional distribution of fluorophores in lyotropic liquid crystals. Two kinds of ground-state order parameters, J.J. Fisz 132 (1989) 315
- Contribution of the relativistic mass correction to the g tensor of molecules, R. Angstl 132 (1989) 435
- Molecular aggregates*
- dimers*
- IR-IR double resonance experiments on SF_6 and SiF_4 clusters, B. Heijmen, A. Bizzarri, S. Stolte and J. Reuss 132 (1989) 331
- Activation energy of the dc conductivity in quasi-one-dimensional molecular semiconductors. II. Two radical electrons per dimer, V.M. Yartsev and A. Graja 132 (1989) 423
- van der Waals molecules*
- The mechanical origin of the propensity rule for vibrational predissociation of van der Waals molecules, D.A. Morales 132 (1989) 165
- The structure of $CO_2-C_2H_2$ from near infrared spectroscopy, Z.S. Huang and R.E. Miller 132 (1989) 185
- clusters*
- IR-IR double resonance experiments on SF_6 and SiF_4 clusters, B. Heijmen, A. Bizzarri, S. Stolte and J. Reuss 132 (1989) 331
- Vibrational predissociation of size-selected SF_6 clusters, F. Huisken and M. Stemmler 132 (1989) 351
- Free radicals (including hydronium and muonium)*
- Rotationally resolved laser-induced fluorescence excitation studies of CH_3O , J. Kappert and F. Temps 132 (1989) 197

- Kinetics of methylidyne ($\text{CH X}^2\text{II}$) radical reactions with ammonia and methylamines, S. Zabarnick, J.W. Fleming and M.C. Lin 132 (1989) 407

PHENOMENA

Molecular structure

- Theoretical spectroscopic constants for the low-lying states of the oxides and sulfides of Mo and Tc, S.R. Langhoff, C.W. Bauschlicher Jr., L.G.M. Pettersson and P.E.M. Siegbahn 132 (1989) 49
- The quantitative Jahn-Teller distortion of the Cu^{2+} site in aqueous solution by XANES spectroscopy, J. Garcia, M. Benfatto, C.R. Natoli, A. Bianconi, A. Fontaine and H. Tolentino 132 (1989) 295
- Vibrational predissociation of size-selected SF_6 clusters, F. Huysken and M. Stemmler 132 (1989) 351

Vibrations and rotations of molecules

- The structure of $\text{CO}_2\text{-C}_2\text{H}_2$ from near infrared spectroscopy, Z.S. Huang and R.E. Miller 132 (1989) 185
- Rotationally resolved laser-induced fluorescence excitation studies of CH_3O , J. Kappert and F. Temps 132 (1989) 197
- Prompt fluorescence from biphenylene in liquid solution: absence of detectable $\text{S}_2 \rightarrow \text{S}_0$ fluorescence and its implications, vibrational structure and polarization of $\text{S}_1 \rightarrow \text{S}_0$ fluorescence, and orientational relaxation of molecules in S_1 , B. Nickel and J. Hertzberg 132 (1989) 219
- Delayed $\text{S}_1 \rightarrow \text{S}_0$ and $\text{S}_2 \rightarrow \text{S}_0$ fluorescence, delayed excimer fluorescence, and phosphorescence from biphenylene, J. Hertzberg and B. Nickel 132 (1989) 235
- ω_e scaling law near a molecular dissociation limit: theory and experimental tests in Cl_2 B state, G. Gouédard, B. Girard, N. Billy and J. Vigué 132 (1989) 385

Electronic structure and states

- Electronic bath theory: multi-orbital primary zone, H.K. McDowell 132 (1989) 59
- Variable energy photoelectron study of the valence levels of CF_3X ($\text{X}=\text{F}, \text{Cl}, \text{Br}, \text{I}$) compounds between 21 and 200 eV photon energies, J.D. Bozek, G.M. Bancroft, J.N. Cutler, K.H. Tan, B.W. Yates and J.S. Tse 132 (1989) 257
- Excitation and ionization of the monohaloethylenes ($\text{C}_2\text{H}_3\text{X}$, $\text{X}=\text{F}, \text{Cl}, \text{Br}, \text{I}$). I. Inner-shell excitation by electron energy loss spectroscopy, K.H. Sze, C.E. Brion and A. Katrib 132 (1989) 271
- Large r approximation for spherically averaged momentum distributions, M.E. Casida and D.P. Chong 132 (1989) 391

Electric and magnetic properties

- Symmetry-adapted bases over Liouville space. IV. Projection superoperators and invariance hierarchies for \mathcal{H} and $\mathcal{H}[\times]\mathcal{H}$ groups: a characterization of $[\text{A}]_4$ and $[\text{AX}]_4$ spin systems, F.P. Temme 132 (1989) 9
- A quasi-neutral triplet state of TCNQ in phenazine/TCNQ and fluorene/TCNQ CT crystals, D. Gundel, J. Frick, J. Krzystek, H. Sixl, J.U. von Schütz and H.C. Wolf 132 (1989) 363
- Activation energy of the dc conductivity in quasi-one-dimensional molecular semiconductors. II. Two radical electrons per dimer, V.M. Yartsev and A. Graja 132 (1989) 423
- Contribution of the relativistic mass correction to the g tensor of molecules, R. Angstl 132 (1989) 435

Molecular interactions

- The effect of reagent vibrational excitation on the oscillatory behavior and other dynamical properties of the light-atom-transfer reactions $\text{Cl} + \text{HCl} \rightarrow \text{ClH} + \text{Cl}$ and $\text{O} + \text{HCl} \rightarrow \text{OH} + \text{Cl}$, H. Kornweitz and A. Persky 132 (1989) 153
- Fluorescence depolarization in macroscopically ordered uniaxial molecular samples. II. The ground- and excited-state interactions of fluorophores with ordered environment. A discussion of the published experimental data, J.J. Fisz 132 (1989) 303
- Fluorescence depolarization in macroscopically ordered uniaxial molecular samples. III. Multifractional distribution of fluorophores in lyotropic liquid crystals. Two kinds of ground-state order parameters, J.J. Fisz 132 (1989) 315
- IR-IR double resonance experiments on SF_6 and SiF_4 clusters, B. Heijmen, A. Bizzarri, S. Stolte and J. Reuss 132 (1989) 331

Spectral bandshapes and intensities

- Tunneling and shape resonance phenomena in the UV photoelectron spectra of HF and DF, H.J. Bakker, O. Grabandt and C.A. de Lange 132 (1989) 243

Energy transfer processes

- Study of nonequilibrium vibrational relaxation of CO_2 molecules during adiabatic expansion in a supersonic nozzle. The Treanor type distribution - existence and generation, A. Cenan 132 (1989) 41
- Analytical and numerical solutions of the time-dependent Debye-Smoluchowski equation for transport-influenced reactions: ion-ion recombination, M.R. Flannery and E.J. Mansky 132 (1989) 115
- The effect of reagent vibrational excitation on the oscillatory behavior and other dynamical properties of the light-atom-transfer reactions $\text{Cl} + \text{HCl} \rightarrow \text{ClH} + \text{Cl}$ and $\text{O} + \text{HCl} \rightarrow \text{OH} + \text{Cl}$, H. Kornweitz and A. Persky 132 (1989) 153
- The mechanical origin of the propensity rule for vibrational predissociation of van der Waals molecules, D.A. Morales 132 (1989) 165

Molecular photophysical processes

- Fluorescence depolarization in macroscopically ordered uniaxial molecular samples. II. The ground- and excited-state interactions of fluorophores with ordered environment. A discussion of the published experimental data, J.J. Fisz 132 (1989) 303
- Fluorescence depolarization in macroscopically ordered uniaxial molecular samples. III. Multifractional distribution of fluorophores in lyotropic liquid crystals. Two kinds of ground-state order parameters, J.J. Fisz 132 (1989) 315
- Effect of orientational relaxation on optical polarization of electron spins in the gas phase, S.A. Sukhenko and A.A. Zharikov 132 (1989) 427

*Intramolecular dynamics**-radiationless transitions*

- Ortho-para iodine separation revisited, J.L. Booth, F.W. Dalby, S. Parmar and J. Vanderlinde 132 (1989) 209

-vibrational energy redistribution (including vibrational dissociation)

- Study of nonequilibrium vibrational relaxation of CO₂ molecules during adiabatic expansion in a supersonic nozzle. The Treanor type distribution - existence and generation, A. Cenian 132 (1989) 41
- The mechanical origin of the propensity rule for vibrational predissociation of van der Waals molecules, D.A. Morales 132 (1989) 165
- The structure of CO₂-C₂H₂ from near infrared spectroscopy, Z.S. Huang and R.E. Miller 132 (1989) 185
- Vibrational predissociation of size-selected SF₆ clusters, F. Huisken and M. Stemmler 132 (1989) 351

Luminescence spectra, yields and lifetimes

- Coherent surface fluorescence versus thermally activated energy transfer to the bulk in the anthracene crystal: model calculations and some experimental results, L. David, J. Bernard, M. Orrit and Ph. Kottis 132 (1989) 31
- Theoretical spectroscopic constants for the low-lying states of the oxides and sulfides of Mo and Tc, S.R. Langhoff, C.W. Bauschlicher Jr., L.G.M. Pettersson and P.E.M. Siegbahn 132 (1989) 49
- Prompt fluorescence from biphenylene in liquid solution: absence of detectable S₂→S₀ fluorescence and its implications, vibrational structure and polarization of S₁→S₀ fluorescence, and orientational relaxation of molecules in S₁, B. Nickel and J. Hertzberg 132 (1989) 219
- Delayed S₁→S₀ and S₂→S₀ fluorescence, delayed excimer fluorescence, and phosphorescence from biphenylene, J. Hertzberg and B. Nickel 132 (1989) 235
- Dynamics of the reaction of atomic fluorine with azomethane: an IR-chemiluminescence study, U. Schwanke, H. Heydtmann and J.J. Sloan 132 (1989) 413

Reactions (including dissociation)

- The fluid mechanics of photothermal systems, S.J. Jacobs 132 (1989) 71
- Kinetics of methylidyne (CH X²Π) radical reactions with ammonia and methylamines, S. Zabarnick, J.W. Fleming and M.C. Lin 132 (1989) 407

-gas phase

- Analytical and numerical solutions of the time-dependent Debye-Smoluchowski equation for transport-influenced reactions: ion-ion recombination, M.R. Flannery and E.J. Mansky 132 (1989) 115
- Low energy dynamics, isotopic effects and detailed microscopic reaction mechanism of the ion-molecule reaction N⁺(³P) + H₂→NH⁺ + H, M. González, A. Aguilar and R. Sayós 132 (1989) 137
- The effect of reagent vibrational excitation on the oscillatory behavior and other dynamical properties of the light-atom-transfer reactions Cl+HCl→ClH+Cl and O+HCl→OH+Cl, H. Kornweitz and A. Persky 132 (1989) 153
- Ortho-para iodine separation revisited, J.L. Booth, F.W. Dalby, S. Parmar and J. Vanderlinde 132 (1989) 209
- Kinetics of methylidyne (CH X²Π) radical reactions with ammonia and methylamines, S. Zabarnick, J.W. Fleming and M.C. Lin 132 (1989) 407
- Dynamics of the reaction of atomic fluorine with azomethane: an IR-chemiluminescence study, U. Schwanke, H. Heydtmann and J.J. Sloan 132 (1989) 413
- On the reliability of a reasonable single surface treatment of the reaction C⁺(²P) + H₂(X¹Σ_g⁺)→CH⁺ + H at relative energies from the threshold region up to 2.0 eV, M. González and A. Aguilar 132 (1989) 443

-condensed phase

- Fractal analysis of Brownian dynamics simulations of diffusion-controlled reactions,
M.A. López-Quintela, M.C. Buján-Núñez and J.C. Pérez-Moure 132 (1989) 83

-photochemical

- The fluid mechanics of photothermal systems, S.J. Jacobs 132 (1989) 71
The intramolecular fluorescence quenching in cylindrical micelles. II, M. Van der Auweraer,
S. Reekmans, N. Boens and F.C. De Schryver 132 (1989) 91

Tunnelling

- Tunneling and shape resonance phenomena in the UV photoelectron spectra of HF and
DF, H.J. Bakker, O. Grabandt and C.A. de Lange 132 (1989) 243

Ionization (including Rydberg states)

- Excitation and ionization of the monohaloethylenes (C_2H_3X , $X=F, Cl, Br, I$). I. Inner-
shell excitation by electron energy loss spectroscopy, K.H. Sze, C.E. Brion and A. Katrib 132 (1989) 271
Large r approximation for spherically averaged momentum distributions, M.E. Casida and
D.P. Chong 132 (1989) 391

Molecular motion (including diffusive)

- Group theoretical statistical mechanics applied to couette flow, M.W. Evans 132 (1989) 1
The intramolecular fluorescence quenching in cylindrical micelles. II, M. Van der Auweraer,
S. Reekmans, N. Boens and F.C. De Schryver 132 (1989) 91

Isotopic effects

- Low energy dynamics, isotopic effects and detailed microscopic reaction mechanism of the
ion-molecule reaction $N^+(^3P) + H_2 \rightarrow NH^+ + H$, M. González, A. Aguilar and R. Sayós 132 (1989) 137
On the reliability of a reasonable single surface treatment of the reaction
 $C^+(^3P) + H_2(X^1\Sigma_g^+) \rightarrow CH^+ + H$ at relative energies from the threshold region up to 2.0
eV, M. González and A. Aguilar 132 (1989) 443

Fluctuations and noise

- Electronic bath theory: multi-orbital primary zone, H.K. McDowell 132 (1989) 59